Antenna Datasheet

Product OC: YEGB000Q1C
Version: 1.1
Date: 2024-01-25
Status: Released

Product Name: Active GNSS Antenna
Key Features:
Frequency Band: 1565–1606 MHz
Dimensions: 46 mm × 36 mm × 15.8 mm
LNA Gain: 21 ±3 dB
RoHS and REACH Compliant
IP 67
Compatible with ECE-R118 cables under demand

Overview

This Quectel GNSS antenna adopts a diversity of forms to guarantee the most suitable polarization type. Quectel's positioning products support single-band or multi-band operation modes to meet various high-precision positioning requirements of customers' products. Quectel provides both passive and active antennas to satisfy the customer demand for high gain. Such antenna supports different installation or connection methods such as pin mount, surface mount, magnetic mount, internal cable, and external SMA. Customized connector type and cable length are provided according to requirements.

Contents

1 Specification

Test Condition: Free Space

1.1. Electrical

Electrical	
Frequency Range	1565–1606 MHz
Impedance	50 Ω
Polarization	RHCP
Radiation Pattern	Directional

Band / Frequency (MHz)	GPS L5 GALILEO E5a BEIDOU B2a-B2I QZSS L5 IRNSS L5	GALILEO E5b BEIDOU B2b	GPS L2 QZSS L2C	GLONASS G2	BEIDOU B3	BEIDOU B1I	GPS L1 GALILEO E1 BEIDOU B1C QZSS L1	GLONASS G1
	1176	1207	1227	1248	1268	1561	1575	1602
VSWR	-	-	-	-	-	-	1.28	1.18
Return Loss (dB)	-	-	-	-	-	-	-18.9	-21.8
Efficiency (%)	-	-	-	-	-	-	74	71
Peak Gain (dBi)	-	-	-	-	-	-	1.66	1.12

LNA Electrical	
LNA Gain	21 ±3 dB
Noise Figure	≤ 1.5 dB
Output VSWR	< 2.0
Filter Out-of-Band Attenuation	37 dB f0 ±100 MHz f0 (1588 MHz)
Working Voltage	2.7–3.3 V
Working Current	9 ±3 mA @ 3 V
Impedance	50 Ω

1.2. Mechanical & Environmental

Mechanical	
Antenna Dimensions	46 mm × 36 mm × 15.8 mm
Material & Color	PC & Black
Cable Type & Length	RG174 Black & 3000 mm
Connector Type	SMA Male (The current state of the SMA connector is not waterproof. If a waterproof connector is required, it can be customized, such as a waterproof FAKRA connector.)
Mounting Type	Magnet & Adhesive
Weight	Typ. 54.6 g
Environmental	
Operation Temperature	-40 °C to +85 °C
Storage Temperature	-40 °C to +85 °C
Ingress Protection (IP) Rating	IP67
RoHS & REACH Compliant	Yes
Housing Flame Rating	UL 94 V-0
Housing UV Resistant	UL 746c f1

1.3. Block Diagram (Active Antenna)



1.4. Supported GNSS Frequency Bands

GNSS Frequency Bands (MHz)					
GPS	**L1** Centre 1575.42 (1565–1586)	**L2** Centre 1227.6 (1217–1238)	**L5** Centre 1176.45 (1164–1189)		
	√	-	-		
GLONASS	**G1-L1OC-L1OF** Centre 1601 (1595–1606)	**G2-L2OC-L2OF** Centre 1248.06 (1241–1255)	**G3-L3OC** Centre 1202.025 (1189–1213)		
	√	-	-		
GALILEO	**E1** Centre 1575.42 (1563–1588)	**E5a** Centre 1176.45 (1166–1187)	**E5b** Centre 1207.14 (1197–1218)	**E6** Centre 1278.75 (1258–1300)	
	√	-	-	-	
BEIDOU	**B1I** Centre 1561.098 (1559–1564)	**B1C (BeiDou-3)** Centre 1575.42 (1559–1592)	**B2a-B2I** Centre 1176.45 (1166–1187)	**B2b** Centre 1207.14 (1197–1217)	**B3** Centre 1268.52 (1258–1279)
	-	√	-	-	-
QZSS	**L1** Centre 1575.42 (1573–1578)	**L2C** Centre 1227.6 (1226–1229)	**L5** Centre 1176.45 (1166–1187)	**L6** Centre 1278.75 (1257–1300)	
	√	-	-	-	
IRNSS	**L5** Centre 1176.45 (1164–1189)				
	-				


GNSS Bands and Constellations
Lower Bands
Upper Bands
1176.45 MHz
L5
L5
L5
B2a
E5a
1202.025 MHz
1207.14 MHz
B2b
E5b
G3
1227.6 MHz
L2C
L2
1248.06 MHz
G2
1268.52 MHz
1278.75 MHz
B3
E6
L6/LEX
1561 MHz
1575.42 MHz
B1i
B1C
E1
L1
L1
1600.995 MHz
G1
1164 MHz
1166 MHz
1186 MHz
1189 MHz
1213 MHz
1217 MHz
1238 MHz
1241 MHz
1255 MHz
1258 MHz
1279 MHz
1300 MHz
1559 MHz
1563 MHz
1565 MHz
1586 MHz
1588 MHz
1592 MHz
1595 MHz
1606 MHz
GPS
GLONASS
Galileo
BeiDou
IRNSS/NAVIC
QZSS

2 Drawing


△*36.0±0.3
△*46.0±0.3
*3000±50
RG174 Black
GNSS
SMA-J (Inside screw inside needle)
△*15.8±0.5
Label
OC:YEGB000Q1C
S/N:XXXXXXXXXXXX
Active(Low gain)
GNSS L1

3 Detailed Performance

3.1. S-Parameter Test

3.1.1. VSWR



VSWR

Frequency (MHz)	1176	1207	1227	1248	1268	1561	1575	1602
VSWR	-	-	-	-	-	-	1.28	1.18

3.1.2. Return Loss



Return Loss (dB)

Frequency (MHz)	1176	1207	1227	1248	1268	1561	1575	1602
Return Loss (dB)	-	-	-	-	-	-	-18.9	-21.8

3.1.3. LNA Gain



LNA Gain (dB)

Frequency (MHz)	1176	1207	1227	1248	1268	1561	1575	1602
LNA Gain (dB)	-	-	-	-	-	-	21.5	21

3.1.4. Noise Figure



Noise Figure (dB)

Frequency (MHz)	1176	1207	1227	1248	1268	1561	1575	1602
Noise Figure (dB)	-	-	-	-	-	-	1.18	1.19

3.2. Radiation Performance Test

3.2.1. Efficiency



Efficiency (%)

Frequency (MHz)	1176	1207	1227	1248	1268	1561	1575	1602
Efficiency (%)	-	-	-	-	-	-	74	71

3.2.2. Peak Gain



Peak Gain (dBi)

Frequency (MHz)	1176	1207	1227	1248	1268	1561	1575	1602
Peak Gain (dBi)	-	-	-	-	-	-	1.66	1.12

3.2.3. 3D & 2D Radiation Pattern

- Test Condition: Free Space
- Test Chamber: SH-SY-16M



1575 MHz		1602 MHz	
	Phi=0 freq=1575MHz 		Phi=0 freq=1602MHz 
Phi=90 freq=1575MHz 	Theta=90 freq=1575MHz 	Phi=90 freq=1602MHz 	Theta=90 freq=1602MHz 

4 Packaging

Step	Packaging Picture / 2D Picture	Description
1		1 pc antenna products in a small PE bag. (1 PC / Small PE Bag)
2		10 pcs antenna products in a big PE bag; (10 PCS / Big PE Bag)
3		(6 Big PE Bags / Carton Box) (60 PCS Antennas / Carton Box) Carton Size: L × W × H = 405 × 293 × 185 mm

4		**Position for Attaching Labels** ① Carton Label ② Quality Label
5		**Sealing Cartons** "工" type sealing cartons

Contact Us

At Quectel, our aim is to provide timely and comprehensive services to our customers. If you require any assistance, please contact our headquarters:

Quectel Wireless Solutions Co., Ltd.
Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai 200233, China
Tel: +86 21 5108 6236
Email: info@quectel.com

Or our local offices. For more information, please visit:
http://www.quectel.com/support/sales.htm.

For technical support, or to report documentation errors, please visit:
http://www.quectel.com/support/technical.htm.
Or email us at: support@quectel.com.

Legal Notices

We offer information as a service to you. The provided information is based on your requirements and we make every effort to ensure its quality. You agree that you are responsible for using independent analysis and evaluation in designing intended products, and we provide reference designs for illustrative purposes only. Before using any hardware, software or service guided by this document, please read this notice carefully. Even though we employ commercially reasonable efforts to provide the best possible experience, you hereby acknowledge and agree that this document and related services hereunder are provided to you on an “as available” basis. We may revise or restate this document from time to time at our sole discretion without any prior notice to you.

Use and Disclosure Restrictions

License Agreements

Documents and information provided by us shall be kept confidential, unless specific permission is granted. They shall not be accessed or used for any purpose except as expressly provided herein.

Copyright

Our and third-party products hereunder may contain copyrighted material. Such copyrighted material shall not be copied, reproduced, distributed, merged, published, translated, or modified without prior written consent. We and the third party have exclusive rights over copyrighted material. No license shall be granted or conveyed under any patents, copyrights, trademarks, or service mark rights. To avoid ambiguities, purchasing in any form cannot be deemed as granting a license other than the normal non-exclusive, royalty-free license to use the material. We reserve the right to take legal action for noncompliance with abovementioned requirements, unauthorized use, or other illegal or malicious use of the material.

Trademarks

Except as otherwise set forth herein, nothing in this document shall be construed as conferring any rights to use any trademark, trade name or name, abbreviation, or counterfeit product thereof owned by Quectel or any third party in advertising, publicity, or other aspects.

Third-Party Rights

This document may refer to hardware, software and/or documentation owned by one or more third parties (“third-party materials”). Use of such third-party materials shall be governed by all restrictions and obligations applicable thereto.

We make no warranty or representation, either express or implied, regarding the third-party materials, including but not limited to any implied or statutory, warranties of merchantability or fitness for a particular purpose, quiet enjoyment, system integration, information accuracy, and non-infringement of any third-party intellectual property rights with regard to the licensed technology or use thereof. Nothing herein constitutes a representation or warranty by us to either develop, enhance, modify, distribute, market, sell, offer for sale, or otherwise maintain production of any our products or any other hardware, software, device, tool, information, or product. We moreover disclaim any and all warranties arising from the course of dealing or usage of trade.

Privacy Policy

To implement module functionality, certain device data are uploaded to Quectel's or third-party's servers, including carriers, chipset suppliers or customer-designated servers. Quectel, strictly abiding by the relevant laws and regulations, shall retain, use, disclose or otherwise process relevant data for the purpose of performing the service only or as permitted by applicable laws. Before data interaction with third parties, please be informed of their privacy and data security policy.

Disclaimer

a) We acknowledge no liability for any injury or damage arising from the reliance upon the information.
b) We shall bear no liability resulting from any inaccuracies or omissions, or from the use of the information contained herein.
c) While we have made every effort to ensure that the functions and features under development are free from errors, it is possible that they could contain errors, inaccuracies, and omissions. Unless otherwise provided by valid agreement, we make no warranties of any kind, either implied or express, and exclude all liability for any loss or damage suffered in connection with the use of features and functions under development, to the maximum extent permitted by law, regardless of whether such loss or damage may have been foreseeable.
d) We are not responsible for the accessibility, safety, accuracy, availability, legality, or completeness of information, advertising, commercial offers, products, services, and materials on third-party websites and third-party resources.

Revision History

Version	Date	Author	Note
-	2023-09-12	Junsen LI/ Steven MO/ David LIU/ Vinnie LIU	Creation of the document
1.0	2023-09-12	Junsen LI/ Steven MO/ David LIU/ Vinnie LIU	First official release
1.1	2024-01-25	Steven MO/ David LIU/ Rainey LIAO	1. Updated the product image. 2. Added the description of SMA connector, Housing Flame Rating and Housing UV Resistant (Chapter 1.2). 3. Updated the drawing (Chapter 2.1). 4. Updated the packaging (Chapter 4).

www.quectel.com